



MOUNTED NO-TILL SEED DRILL

**M:DSX**



**HORIZON**

MOUNTED NO-TILL SEED DRILL

# M:DSX

## [ M:DSX: MOUNTED NO-TILL SEED DRILL ]

The M:DSX has been designed to offer all the benefits of our DSX technology in a lighter and more compact platform. The fully mounted M:DSX utilises the same seeding coulters as the DSX and will work in conjunction with the Horizon FT2200 front hopper or customers' existing front hopper.



MOUNTED NO-TILL SEED DRILL

# M:DSX

- Row spacing options of 22cm or 25cm
- 25 horsepower required per metre
- When working in conjunction with the Horizon FT2200 the M:DSX can sow 2 different products either together or in alternate rows
- 1 or 2 distribution heads for multiple products
- Optional pneumatic row cleaners are available on M:DSX with 25cm row spacings
- Optional 400l mini hopper
- Optional weight blocks
- Optional tractor weight transfer system

\*\*Rear mounted 400l liquid and granular  
hoppers to be launched in 2024\*\*

1 OR 2 DISTRIBUTION HEADS FOR SEEDING  
ALTERNATIVE CROPS ON EACH ROW

OPTIONAL WEIGHT BLOCKS

3-POINT LINKAGE HITCH

EXPANDABLE MOUNTED FRAME

3m, 4m, 4.8m, 5m & 6m


DSX NO-TILL DISC COULTER

ROW SPACINGS

22cm or 25cm

LIQUID & GRANULAR FERTILIZER OPTIONS

OPTIONAL STABILIZER WHEELS



**HORIZON**

**HORIZON AGRICULTURAL MACHINERY LTD**

**t:** +44 (0) 1945 440 999 | **e:** [info@horizonagriculture.com](mailto:info@horizonagriculture.com) | **w:** [horizonagriculture.com](http://horizonagriculture.com)